

ORACLE



RACING

POWER ON

CATALOGUE



INDEX

6_CUBE PARTY SPEAKERS

8_PORTABLE PARTY SPEAKERS

14_HEADPHONES

18_EARBUDS





Red Bull

CASTORE

CASTORE

TAG
HEUER

RAUCH

Mobil 1

Gate.io

1passworld

VIA



General Specifications

| | |
|------------------------|---|
| Size L*W*H | 240x230x325 mm |
| Max Power | 40 W |
| RMS | 20 W |
| Speaker | 1x6" Woofer and 1.5" Tweeter |
| Battery | 3.7V 2400 mAh |
| Charger voltage | 5V 1A |
| Charging Time | 5-8 Hours |
| Function | USB, TF, AUX, Remote Control, Easy wireless connection |
| Light | Multicolor Circle LED Lights |
| Net cover | Steel Net |
| Display | LED |
| Other | 1Handle |



CUBE

RDBBOOMBOX



WITHOUT LIGHTS

SPEAKER

PACKAGING



PORTABLE

RDBSPEAKER30W

General Specifications

| | |
|------------------------|--|
| Size L*W*H | 97x107x230 mm |
| Max Power | 2x24 W |
| RMS | 2x12 W |
| Speaker | 30 W |
| Battery | 11.1V 2000mAh x 3 |
| Charger voltage | 5V 1.5A |
| Charging Time | 3-4 Hours |
| Function | TF, USB, AUX, Easy wireless connection |
| Light | Multicolor LED Lights |
| Net cover | Grill Cloth |
| Other | 1Handle |



PORTABLE

RDBSPEAKER30W



PORTABLE

RDBSPEAKER15W

General Specifications

| | |
|------------------------|--|
| Size L*W*H | 168x105x97 mm |
| Max Power | 24 W |
| RMS | 12W |
| Speaker | 15W |
| Battery | 7.4V 1800mAh x 2 |
| Charger voltage | 5V 1A |
| Charging Time | 2-3 Hours |
| Function | TF, USB, AUX, Easy wireless connection |
| Light | Multicolor LED Lights |
| Net cover | Grill Cloth |
| Other | 1Handle |



PORTABLE

RDBSPEAKER15W



PORTABLE

RDBSPEAKER10W

General Specifications

| | |
|------------------------|--|
| Size L*W*H | 139x84x90 mm |
| Max Power | 16 W |
| RMS | 8 W |
| Speaker | 10 W |
| Battery | 3.7V 1500mAh |
| Charger voltage | 5V 1A |
| Charging Time | 1-2 Hours |
| Function | TF, USB, AUX, Easy wireless connection |
| Light | Multicolor LED Lights |
| Net cover | Grill Cloth |
| Other | 1Handle |



PORTABLE

RDBSPEAKER10W



SPEAKER

PACKAGING



HEADPHONES

RDBHDPANC

General Specifications

| | |
|-------------------------|-----------------------------------|
| Type | ANC, Wireless and Foldable |
| Size L*W*H | 17.5x19.1x7.4 cm |
| Sensitivity | 110 ±3 dB |
| ANC Frequency | 50-1000Hz |
| Frequency | 20Hz-20KHz |
| Impedance | 32Ω±15% |
| Noise reduction | 24dB±3 |
| Driver Unit | Φ 40 mm |
| Battery | 500 mAh |
| Charging Time | 2 Hours |
| Charging Voltage | DC 5V |
| Working Time | 50h |
| Working Distance | 10 m |
| Function | Easy wireless connection |



HEADPHONES

RDBHDPANC



HEADPHONES

RDBHDPCLASSIC


General Specifications

| | |
|-------------------------|---|
| Type | Wireless and Foldable |
| Size L*W*H | 17.3x 18.6 x 7.7 cm |
| Sensitivity | 102+-3dB |
| Frequency | 20Hz-20KHz |
| Impedance | 32 Ω \pm 15% |
| Speaker Size | 40 mm |
| Battery | 300mAh |
| Charging Voltage | DC 5V 0.4A |
| Charging Time | 3 H |
| Working Time | 18 H |
| Working distance | 10 m |
| Function | TF card, Line-in, Easy wireless connection |



HEADPHONES

RDBHDPCLASSIC



HEADPHONES

RDBHDP RACE

General Specifications

| | |
|-------------------------|------------------------------|
| Type | Wireless and Foldable |
| Size L*W*H | 13.7x17.8x6 cm |
| Sensitivity | 105±3 dB |
| Frequency | 20Hz-20KHz |
| Impedance | 32Ω±15% |
| Speaker size | 40 mm |
| Charging Time | 2 Hours |
| Battery | 250 mAh |
| Function | Easy wireless connection |
| Charging Voltage | DC 5V 1A |
| Working Time | 8 Hours |
| Working Distance | 10 m |



HEADPHONES

RDBHDPTRACE



HEADPHONES

PACKAGING



EARBUDS

RDBTWSLED

General Specifications

| Type | Touch Screen, ANC, ENC and 4 Microphones |
|---------------------|---|
| Size L*W*H | 60.6x45.2x24 mm |
| Sensitivity | 107±3dB |
| Frequency | 20Hz-20KHz |
| Impedance | 32Ω±15% |
| Driver Unit | 13mm |
| Earbuds Battery | 30 mAh x 2 |
| Charger Box Battery | 300 mAh |
| Charing Voltage | DC 5V |
| Charging Time | 1.5H |
| Working Time | 4-5 H |
| Function | Easy wireless connection, control your audio setting, battery level, set alarm, customization of UI and wallpapers, multilingual support. |



EARBUDS

RDBTWSLED



General Specifications

| | |
|----------------------------|--------------------------|
| Size L*W*H | 29.5x18.4x17 mm |
| Sensitivity | 85dB/1M |
| Frequency | 20Hz-20KHz |
| Impedance | 32Ω |
| Driver Unit | 13mm |
| Earbuds Battery | 30 mAh x 2 |
| Charger Box Battery | 250 mAh |
| Charing Voltage | DC 5V |
| Charging Time | 1.5H |
| Working Time | 4-5 H |
| Function | Easy wireless connection |



RDBTWS

EARBUDS



TRUE WIRELESS

PACKAGING





Red Bull® Marks and the Oracle Red Bull Racing Logo are licensed by Red Bull GmbH/Austria. These products have been designed and produced by Asia Kingston (HK) Ltd, official Oracle Red Bull Racing Licensee.

The manufacturer reserves the right to change these specifications without notice. Technical specifications may change according to local laws relating to the use

The designs showed are still under approval. Unauthorized reproduction forbidden, even partially, for texts and pictures. All products and mentioned trademarks are registered by the legitimate owners. -03/ 2025